



# Terminal Block with Test Plug Socket KF-CTT-5GN


- 3-pin spring terminal with push-in connection technology
- For KF modules of K-System
- Integrated test sockets for connection of HART communicators
- Packaging unit: 5 pieces green

Terminal block for KF modules, 3-pin spring terminal, with test sockets, green

## Function

The terminal block is suitable for KSystem applications.  
The green terminal block is used for connection of field signals as well as the connection of control signals.  
This terminal block has integrated test sockets for connection of HART communicators.  
The terminal block can be coded with the provided coding pins KF-CP.

## Dimensions



## Technical Data

### General specifications

Number of pins 3

### Mechanical specifications

Core cross section max. 2.5 mm<sup>2</sup>

Material

Color green

Mass approx. 5 g

Dimensions 15.1 x 15 x 25.1 mm (0.6 x 0.6 x 1 inch)

Construction type spring terminal with integrated test sockets , removable

Structure one-rowed

### General information

Packing unit 5 item(s)

## Safety Information

The insulation of the removable terminal blocks protect against direct contact. The insulation conforms to a reinforced insulation acc. to EN 50178 with a rated insulation voltage of 50 V AC.

If the rated voltage greater than 50 V AC, proceed as follows:

- Switch off the voltage.
- Connect the terminal blocks or disconnect the terminal blocks.